



Web: www.anbobio.com
www.dijibio.com
Order: order@dijibio.com
Tel: (86) 519 8805 0026

HMG17 Antibody [#C10279]

Catalog Number: C10279

Concentration: 1mg/ml

Swiss-Prot No.: P05204

Other Names: HMG17, high mobility group protein N2, high-mobility group (nonhistone chromosomal) protein 17, high-mobility group nucleosomal binding domain 2, high-mobility group nucleosome binding domain 2, nonhistone chromosomal protein HMG-17

Storage/Stability: Store at -20°C/1 year

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Immunogen: The antiserum was produced against synthesized peptide derived from internal of human HMG17.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.


Specificity: HMG17 antibody detects endogenous levels of total HMG17 protein.

Reactivity: Human (Identities = 100%, Positives = 100%);
Mouse (Identities = 100%, Positives = 100%);
Rat (Identities = 100%, Positives = 100%)

Applications: IHC: 1:50~1:100 IF: 1:100~1:500
ELISA: 1:40000


References:

Landsman D., J. Biol. Chem. 261:7479-7484(1986).
Gregory S.G., Nature 441:315-321(2006).
Giancotti V., Eur. J. Biochem. 198:211-216(1991).



Peptide - +

Immunohistochemistry analysis of paraffin-embedded human brain tissue, using HMG17 antibody.



Peptide - +

Immunofluorescence analysis of HeLa cells, using HMG17 antibody.